Carbohydrate Research, 219 (1991) c7
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Barbat, J., 115
Beau, J.-M., 71
Bellosta, V., 1
Brade, H., 247
Browder, I. W., 203

Chassagnard, C., 1
Ciunik, Z., 9
Cunningham, D., 229
Czernecki, S., 1

Depew, W. T., 33, 51
Di Luzio, N. R., 203

Ensley, H. E., 203
Estrada de Oya, M. D., 215

Fernandez, P. T., 241
Fry, S. C., 123

Galbis Perez, J. A., 241
Gauffeny, F., 237
Gelas, J., 115

Hackland, P. L., 193
Hay, G. W., 33, 51
Hirano, M., 173
Holst, O., 247
Horton, D., 115
Hronowski, L. J. J., 33, 51

Ishii, T., 15
Ison, E. R., 51

Jacquinet, J.-C., 71
Jones, E. L., 203

Kawamura, H., 149
Kiyohara, H., 149, 173
Knirel, Yu. A., c1
Kochetkov, N. K., c1
Krebs, A., 33, 51
Kuzuhara, H., 133

Lee, E., 229
Lelièvre, J., 23
Liu, H., 23
Lopez-Castro, A., 215, 223

Manley-Harris, M., 101
Marra, A., 237
Martinez, M. B., 241
McArdle, P., 229
McDougall, G. J., 123
NcNamee, R. B., 203
Melody, N., 229
Millan, M. J. D., 223

Parolis, H., 193
Parolis, L. A. S., 193
Perez-Garrido, S., 223
Pretus, H. A., 203

Richards, G. N., 91, 101
Rio, S., 71

Sakairi, N., 133
Shashkov, A. S., c1
Shi Shun, L. K., 237
Sidorczyk, Z., c1
Sinaÿ, P., 237
Smiatacz, Z., 9
Stevenson, T. T., 91
Swierzko, A., c1
Szarek, W. A., 33, 51
Szweda, R., 9

Tabeur, C., 237
Takemoto, N., 149

VanDenburg, J., 91
Vinogradov, E. V., c1

Wang, L.-X., 133
Williams, D. L., 203

Yamada, H., 149, 173

Zhao, J.-F., 149

Carbohydrate Research, 219 (1991) c9-c10
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

N-Acetylhyalobiuronic acid, peracetylated laminaribiose by specific degradation of curdlan and its conversion into, 133

Bamboo shoot cell-walls, isolation and characterization of diferuloylarabinoxylan hexasaccharide from, 15
Bupleurum falcatum L., partial structure of an anti-ulcer pectic polysaccharide from the roots of, 173

Capsular antigen of *E. coli* O9:K38, identification as a ribofuranose-containing glycan, 193
Carbohydrate–protein linkage region of proteoglycans, synthesis of glycopeptides from the, 71
Crystal and molecular structure of *N*-(2,2-diethoxycarbonylvinyl)-α-D-ribofuranosylamine, 223
Crystal and molecular structure of 1,4-dimethyl-3-(D-*galacto*-pentitol-1-yl)-5-(*p*-tolyl)pyrazole, 215
Crystal structure of ethyl 3,4,6-tri-*O*-acetyl-2-deoxy-hydroxyimino-α-D-*arabino*-hexopyranoside, 9
Curdlan, preparation of peracetylated laminaribiose by specific degradation of; its chemical conversion into *N*-acetylhyalobiuronic acid, 133

2-Deoxy-β-D-*arabino*-hexopyranoside and methyl 4,6-*O*-benzylidene-3-deoxy-α-D-*arabino*-hexopyranoside, X-ray structure of methyl 3,4,6-tri-*O*-acetyl, 229
Deoxyhexopyranosides, n.m.r. studies of some, 229
1,2-Diamino-1,2-dideoxy-D-*glycero*-L-*manno*- and D-*glycero*-L-*gluco*-heptitol, synthesis of, 241
N-(2,2-Diethoxycarbonylvinyl)-α-D-ribofuranosylamine, crystal and molecular structure of, 223
Diferuloylarabinoxylan hexasaccharide from bamboo shoot cell-walls, isolation and characterization of, 15
Differential scanning calorimetry study of glass and melting transitions in starch suspensions and gels, 23
2,6-Di-*O*-β-lactosyl-α,β-D-mannopyranoses and 6-*O*-β-lactosyl-α,β-D-mannopyranoses, synthesis and characterization of, 51
1,4-Dimethyl-3-(D-*galacto*-pentitol-1-yl)-5-(*p*-tolyl)pyrazole, crystal and molecular structure of, 215

E. coli O9:K38 capsular antigen: another ribofuranose-containing glycan, 193
Ethyl 3,4,6-tri-*O*-acetyl-2-deoxy-2-hydroxyimino-α-D-*arabino*-hexopyranoside, crystal structure of, 9

Formation of trisaccharides (kestoses) by pyrolysis of sucrose, 101

Glass and melting transitions in starch suspensions and gels, differential scanning calorimetry study, 23
(1→3)-β-D-Glucan isolated from *Saccharomyces cerevesiae*, a method for the solubilization of a, 203
D-Gluco- and -manno-pyranosylarenes, structural studies by ^{1}H- and ^{13}C-n.m.r. spectroscopy and circular dichroism of acetylated α- and β-, 1
Glucofuranose derivatives, thermal polymerization of some, 91
Glycerol, synthesis and characterization of mono-, di-, and tri-lactosyl derivatives of, 33
Glycopeptides from the carbohydrate–protein linkage region of proteoglycans, synthesis of, 71
Glycopyranosylarenes, a re-examination of structural assignments by modern spectroscopic methods, 1
Glycyrrhizia uralensis Fisch *et* D.C., heterogeneity and characterisation of mitogenic and anti-complementary pectic polysaccharides from the roots of, 149

Heptitol, synthesis of 1,2-diamino-1,2-dideoxy-D-*glycero*-L-*manno*- and -D-*glycero*-L-*gluco*-, 241
Heterogeneity and characterisation of mitogenic and anti-complementary pectic polysaccharides from the roots of *Glycyrrhizia uralensis* Fisch *et* D.C., 149
2-Hydroxyimino-α-D-*arabino*-hexopyranoside, crystal structure of ethyl 3,4,6-tri-*O*-acetyl-2-deoxy-, 9

Isolation and characterization of diferuloylarabinoxylan hexasaccharide from bamboo shoot cell-walls, 15

Kestoses by pyrolysis of sucrose, formation of trisaccharides, 101

2-*O*-β-Lactosylglycerol, 1-2-di-*O*-β-lactosyl-(*R*, *S*)-glycerols, and 1,2,3-tri-*O*-β-lactosylglycerol, synthesis and characterization of, 33
6-*O*-β-Lactosyl-α,β-D-mannopyranoses and 2,6-di-*O*-β-lactosyl-α,β-D-mannopyranoses, synthesis and characterization of, 51
Laminaribiose, peracetylated: preparation by specific degradation of curdlan and its chemical conversion into *N*-acetylhyalobiuronic acid, 133
Lipopolysaccharide from *Salmonella minnesota* strain R7 (rough mutant chemotype Rd_1), structural studies of the core region of the, 247
D-Lyxose and D-xylose, reactions with 2-methoxypropene under kinetic conditions, 115

2-Methoxypropene, reactions with D-lyxose and D-xylose under kinetic conditions, 115

Nitrate group at the anomeric position, a novel and convenient method for the removal of a, 237
Novel and convenient method for the removal of a nitrate group at the anomeric position, 237

Oligosaccharides, purification and analysis by high-pressure liquid chromatography of growth-regulating xyloglucan-derived, 123

Pectic polysaccharides from the roots of *Glycyrrhizia uralensis* Fisch *et* D.C., heterogeneity and characterisation of mitogenic and anti-complementary, 149
Polymerization of some glucofuranose derivatives, thermal, 91
Polysaccharide containing D- and L-alanine, structure of *Proteus penneri* strain 14 O-specific, C1
Polysaccharide from the roots of *Bupleurum falcatum* L., partial structure of an anti-ulcer pectic, 173
Proteus penneri strain 14 O-specific polysaccharide containing D- and L-alanine, structure of, C1
Purification and analysis of growth-regulating xyloglucan-derived oligosaccharides by high-pressure liquid chromatography, 123
Pyrazole, crystal and molecular structure of 1,4-dimethyl-3-(D-*galacto*-pentitol-1-yl)-5-(*p*-tolyl)-, 215
Pyrolysis of sucrose, formation of trisaccharides (kestoses) by, 101

Removal of a nitrate group at the anomeric position, a novel and convenient method for the, 237
Ribofuranose-containing glycan, identification of the *E. coli* O9:K38 capsular antigen as a, 193
Ribofuranosylamine, crystal and molecular structure of *N*-(2,2-diethoxycarbonylvinyl)-α-D-, 223

Saccharomyces cerevesiae, a method for the solubilization of a (1→3)-β-D-glucan isolated from, 203
Salmonella minnesota strain R7 (rough mutant chemotype Rd_1), structural studies of the core region of the lipopolysaccharide from, 247
Starch suspensions and gels, a differential scanning calorimetry study of glass and melting transitions in, 23
Structural studies by ^1H- and ^{13}C-n.m.r. spectroscopy and circular dichroism of acetylated α- and β-D-gluco- and -manno-pyranosylarenes, 1
Structural studies of the core region of the lipopolysaccharide from *Salmonella minnesota* strain R7 (rough mutant chemotype Rd_1), 247
Structure of an anti-ulcer pectic polysaccharide from the roots of *Bupleurum falcatum* L., partial, 173
Structure of *Proteus penneri* strain 14 O-specific polysaccharide containing D- and L-alanine, C1
Synthesis and characterization of 2-*O*-β-lactosylglycerol, 1,2-di-*O*-β-lactosyl-(*R*,*S*)-glycerols, and 1,2,3-tri-*O*-β-lactosylglycerol, 33
Synthesis of 1,2-diamino-1,2-dideoxy-D-*glycero*-L-*manno*- and -D-*glycero*-L-*gluco*-heptitol, 241
Synthesis of glycopeptides from the carbohydrate–protein linkage region of proteoglycans, 71

Thermal polymerization of some glucofuranose derivatives, 91

X-Ray structures of methyl 3,4,6-tri-*O*-acetyl-2-deoxy-β-D-*arabino*-hexopyranoside and methyl 4,6-*O*-benzylidene-3-deoxy-α-D-*arabino*-hexopyranoside, 229
Xyloglucan-derived oligosaccharides, purification and analysis by high-pressure liquid chromatograpy of growth-regulating, 123